



SAFETY DATA

OIL UK HYLOAD WOM 68

SECTION 1	IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF COMPANY/UNDERTAKING
------------------	---

Product name: HYLOAD WOM 68

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Highly Refined Medicinal White Oil for use as a food grade lubricant.

1.3 Details of the supplier of the safety data sheet

Company name: Oil-UK Limited

20-22 Wenlock Road
London N1 7GU
United Kingdom

Tel: +0044 (0) 845 430 5515

Email: info@oiluk.net

1.4. Emergency telephone number

Emergency tel: (0) 845 430 5515 (office hours only)

SECTION 2	HAZARD IDENTIFICATION
------------------	------------------------------

EEC (EINECS) No. 232-455-8

CAS No.: 8042-47-5

SECTION 3	COMPOSITION/ INFORMATION ON INGREDIENTS
------------------	--

Not regarded as a health or environmental hazard under current legislation.

SECTION 4	FIRST AID MEASURES
------------------	---------------------------

INHALATION:

Remove victim immediately from source of exposure. Place unconscious person on the side in the recovery position and ensure breathing keep the affected person warm and at rest. Get prompt medical attention.

INGESTION:

DO NOT INDUCE VOMITING! When risk of unconsciousness, place and transport the victim in secured side position. Get medical attention if any discomfort continues

SKIN:

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYES:

Make sure to remove any contact lenses from the eyes from rinsing. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.



SAFETY DATA SHEET

HYLOAD WOM 68 MEDICINAL WHITE OIL

SECTION 5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Small fires: Use: Carbon dioxide (CO2). Dry chemicals, sand, dolomite etc.
Larger fires: Fire can be extinguished using: Foam.

SPECIAL FIRE FIGHTING PROCEDURES: Avoid breathing fire vapours. Use water to keep fire exposed containers cool and disperse vapours. Keep run-off water out of sewers and water sources. Dike for water control.

SECTION 6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS: Absorb in vermiculite, dry sand or earth and place into containers. Flush area with flooding amounts of water. Disposal should be carried out in accordance with the Controlled Water Regulations. If any liquid enters the drainage system or watercourse inform the Local Authorities, Fire Brigade and Environmental Agency. Disposal should be carried out in accordance with the Controlled Waste Regulations. If any liquid enters the drainage system or watercourse inform the Local Authorities, Fire Brigade and Environmental Agency.

SECTION 7 HANDLING AND STORAGE

SPILL CLEANUP METHODS: Avoid spilling, skin and eye contact. Avoid production of oil mists.

STORAGE PRECAUTIONS: Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENT NAME:	CAS NO:	STD	LT EXP	ST EXP
HYLOAD WOM 15:	8042-47-5	OES	8 Hrs 5mg/m3 (Oil mineral)	15 Min

INGREDIENT COMMENTS: OES = Occupational Exposure Standard.
MEL = Maximum Exposure Limit.

PROTECTIVE EQUIPMENT:



VENTILATION: Provide adequate general and local exhaust ventilation.

PROTECTIVE GLOVES: Chemical resistant gloves required for prolonged or repeated contact. Use protective gloves made of: Impermeable material.

EYE PROTECTION: If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENIC WORK PRACTICES: Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. DO NOT SMOKE IN WORK AREA!

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES



HYLOAD WOM 68 MEDICINAL WHITE OIL

SAFETY DATA SHEET

APPEARANCE:	Liquid	
COLOUR:	Colourless	
ODOUR/TAST:	Odourless or no characteristic odour	
BOILING POINT (°C interval)	350-415	Pressure: 760mmHg
MELT/FREE. POINT (°c INTERVAL)	-15	
DENSITY/SPECIFIC GRAVITY (g/ml):	0.851kg/m3	Temperature: (°) 15
BULK DENSITY:	865kg/m3	
VISCOSITY (interval):	68 cSt	Temperature: (°C): 40
SOLUBILITY DESCRIPTION:	Immiscible with water. Soluble in: Organic Solvents (most). Silicone free	
FLASH POINT:	240°C	Method: PM Closed cup.
AUTO IGNITION TEM (°c):	> 250	

SECTION 10 STABILITY AND REACTIVITY

STABILITY:	No particular stability concerns.	
CONDITIONS TO AVOID:	Avoid excessive heat for prolonged periods of time.	
HAZARDOUS DECOMP. PRODUCTS:	Fire creates: Carbon monoxide (~CO). Carbon dioxide (CO2).	

SECTION 12 ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:	Not regarded as dangerous for the environment	
--------------------------------	---	--

SECTION 13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS:	This material must be disposed of via an Authorised Waste/Disposal Company in accordance with Local and or National Waste Disposal Regulations.	
WASTE CLASS:	This material and container must be disposed of as CONTROLLED WATER.	

SECTION 14 TRANSPORT INFORMATION

Un No. ROAD :	None
ADR CLASS :	Not classified for transportation
HAZCHEM CODE :	(Suggested 3Z)
RAIL TRANSPORT NOTES :	Not Classified
SEA TRANSPORT NOTES :	Not Classified
AIR TRANSPORT NOTES :	Not Classified

SECTION 15 REGULATORY INFORMATION



SAFETY DATA SHEET

HYLOAD WOM 68 MEDICINAL WHITE OIL

NC Not classified

SAFETY PHRASES: S-26 In case of contact with eyes, ring immediately with plenty of water and seek medical advice. S-29 Do not empty into drains. S-37 Wear suitable gloves. S-39 Water eye/face protection. S-43,18 In case of fire use sand, earth, foam or water fog.

UK REGULATORY REFERENCES: Health and Safety at work Act 1974
The Control of Substances Hazardous to Health Regulations 1988.
Classification, Packaging and Labelling Regulations 1984.

EU DIRECTIVES: Dangerous Substance Directive 67/548.
Dangerous Preparations Directive 88/379.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations. Control of Substances Hazardous to Health.

APPROVED CODE OF PRACTICE: Safety Data Sheets for Substances and Preparations L62.
Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES: Occupational Exposure Limited EH40
Carcinogenicity of mineral oils EH58.

SECTION 15	REGULATORY INFORMATION
------------	------------------------

REVISION COMMENTS: New issue in new format.

ISSUED BY: Philip Williams

REVISIONS DATE: 20/11/18

REV. NO./REPL. SDS GENERATED: O New Issue

SDS No.: 10079

SAFETY DATA SHEET STATUS: Approved

DISCLAIMER: The information in this document has been compiled on the basis of the best available knowledge in accordance with the requirements of the Chemical Hazards, Information and Packaging regulations 1994 (as amended 1999). It does not imply that the information is complete or accurate in all cases. It is the users responsibility to satisfy themselves to the application of the information and/or the recommendations given for their own use.